



T-SLOT ALUMINUM EXTRUSION INDUSTRIAL PROFILE




CUSTOM MOLD PRODUCTS

Special non-standard specifications, can be a model customization



EXTRUSION PRODUCTION

All products pass strict multi inspection process which gives customers multi guarantee


















CNC MACHINING
















sizing and dimension saw, piercing, stamping process, CNC processing

TX-2525 25 × 25 T= 0.608KG/M		TX-114 30 × 30 T= 0.42KG/M		TX-136 20 × 20 T= 0.46KG/M	
TX-113 30 × 30 T= 0.674KG/M		TX-112 40 × 40 T= 0.679KG/M		TX-2525 25 × 25 T= 0.608KG/M	
TX-F51B 40 × 40 T= 0.809KG/M		TX-110 40 × 40 T= 0.967KG/M		TX-113 30 × 30 T= 0.674KG/M	
TX-111 40 × 40 T= 0.934KG/M		TX-109 40 × 40 T= 1.277KG/M		TX-114 30 × 30 T= 0.42KG/M	
TX-210 30 × 30 T= 1.163KG/M		TX-211 30 × 30 T= 0.866KG/M		TX-212 30 × 30 T= 0.544KG/M	

TX-006		TX-010		TX-079	
30 × 30		30 × 30		40 × 40	
T=		T=		T=	
0.802KG/M		0.952KG/M		1.326KG/M	
TX-005		TX-30×30		TX-108	
30 × 30		30 × 30R		40 × 40	
T=		T=		T=	
1.073KG/M		0.708KG/M		1.305KG/M	
TX-006		TX-060		TX-109	
30 × 30		40 × 40		40 × 40	
T=		T=		T=	
1.024KG/M		1.804KG/M		1.277KG/M	
TX-63030-3		TX-080		TX-110	
30 × 30		40 × 40		40 × 40	
T=		T=		T=	
0.828KG/M		1.6KG/M		0.967KG/M	
TX-002		TX-111		TX-112	
30 × 30		40 × 40		40 × 40	
T=		T=		T=	
0.691KG/M		0.934KG/M		0.679KG/M	

TX-138		TX-216		TX-F51B	
40 × 40		40 × 40		40 × 40	
T=		T=		T=	
1.561KG/M		1.98KG/M		0.809KG/M	
TX-149		TX-217		TX-64040-1	
40 × 40		40 × 40		40 × 40	
T=		T=		T=	
1.765KG/M		1.177KG/M		1.541KG/M	
TX-011		TX-218		TX-64040-2	
40 × 40		40 × 40		40 × 40	
T=		T=		T=	
1.727KG/M		1.136KG/M		1.05KG/M	
TX-012		TX-219		TX-64040-2A	
40 × 40		40 × 40		40 × 40	
T=		T=		T=	
1.878KG/M		1.513KG/M		1.2KG/M	
TX-023		TX-303		TX-1032	
40 × 40		40 × 40		40 × 40	
T=		T=		T=	
1.267KG/M		1.561KG/M		1.02KG/M	

TX-007 40 × 40 T= 1.42KG/M		TX-40R 40 × 40 T= 1.178KG/M		TX-214 50 × 50 T= 1.54KG/M	
TX-48 40 × 40 T= 1.425KG/M		TX-837A 45 × 45 T= 1.2KG/M		TX-5050 50 × 50 T= 2.46KG/M	
TX-049A 40 × 40 T= 1.61KG/M		TX-022 45 × 45 T= 2.04KG/M		TX-011 50 × 50 T= 2.837KG/M	
TX-200 60 × 30 T= 1.858KG/M		TX-215 45 × 45 T= 1.534KG/M		TX-017 40 × 20 T= 0.827KG/M	
TX-208 60 × 30 T= 1.216KG/M		TX-222 60 × 30 T= 1.545KG/M		TX-1019 60 × 30 T= 1.2KG/M	

TX-1038 60 × 30 T= 1.716KG/M		TX-050 60 × 60 T= 2.83KG/M		TX-6262 62 × 62 T= 1.505KG/M	
TX-63060-1 60 × 30 T= 1.493KG/M		TX-66060 60 × 60 T= 2.48KG/M		TX-075 80 × 40 T= 3.43KG/M	
TX-013 60 × 30 T= 1.875KG/M		TX-66630 60 × 60 T= 2.03KG/M		TX-118 80 × 40 T= 1.365KG/M	
TX-0005 60 × 40 T= 2.446KG/M		TX-6R6630 60 × 60 T= 2.03KG/M		TX-119 80 × 40 T= 1.665KG/M	
TX-120 80 × 40 T= 2.047KG/M		TX-131 80 × 40 T= 2.105KG/M		TX-173 80 × 40 T= 2.38KG/M	

TX-220 80 × 40 T=1.4 1.418KG/M	TX-64080-1 80 × 40 T= 2.69KG/M	TX-090 80 × 80 T= 4.27KG/M
TX-1040 80 × 40 T= 2.893KG/M	TX-64080-2 80 × 40 T= 1.79KG/M	TX-179 80 × 80 T= 3.675KG/M
TX-020 80 × 40 T= 2.83KG/M	TX-8-4080EA 80 × 40 T= 2.61KG/M	TX-1027 80 × 80 T= 4.43KG/M
TX-021 80 × 40 T= 2.26KG/M	TX-048 80 × 40 T= 3.049KG/M	TX-058 80 × 80 T= 5.708KG/M
TX-021A 80 × 40 T= 2.14KG/M	TX-873A - T= 4.002KG/M	TX-099 90 × 15 T= 1.95KG/M












TX-053 80 × 80 T= 3.961KG/M	TX-10050 100 × 50 T= 4.035KG/M	TX-1011 60 × 15 T= 1.18KG/M
TX-6R8840 80 × 80 T= 3.744KG/M	TX-201 100 × 50 T= 2.42KG/M	TX-049 80 × 20 T= 2.219KG/M
TX-68840 80 × 80 T= 3.744KG/M	TX-120 × 80 120 × 80 T= 7.05KG/M	TX-002 - T= 4.8KG/M
TX-061 90 × 30 T= 2.44KG/M	TX-135 120 × 40 T= 3.783KG/M	TX-002 90 × 15 T= 1.955KG/M
TX-873F - T= 3.0KG/M	TX-873G - T= 5.063KG/M	TX-156 - T= 1.18KG/M

TX-003		TX-202		TX-116	
T=		T=		T=	
0.617KG/M		1.512KG/M		1.114KG/M	
TX-154		TX-104		TX-202A	
T=		T=		T=	
0.942KG/M		1.083KG/M		1.468KG/M	
TX-61530		TX-106		TX-105A	
T=		T=		T=	
0.556KG/M		0.93KG/M		1.273KG/M	
TX-048		TX-237		TX-107	
T=		T=		T=	
0.6KG/M		1.5KG/M		1.03KG/M	
TX-003		TX-238		TX-206	
T=		T=		T=	
0.649KG/M		1.8KG/M		0.988KG/M	

TX-117		TX-0003		TX-223	
T=		T=		T=	
1.206KG/M		1.901KG/M		0.347KG/M	
TX-207		TX-0004		TX-224	
T=		T=		T=	
1.6KG/M		2.274KG/M		0.577KG/M	
TX-221		TX-016		TX-225	
T=		T=		T=	
0.948KG/M		2.04KG/M		0.79KG/M	
TX-0001		TX-129		TX-226	
T=		T=		T=	
0.847KG/M		0.345KG/M		0.417KG/M	
TX-0002		TX-130		TX-235	
T=		T=		T=	
0.961KG/M		0.541KG/M		0.452KG/M	

TX-236		TX-125		TX-82x80	
T=		T=		T=	
0.4KG/M		0.092KG/M		0.692KG/M	
TX-204		TX-115		TX-232	
T=		T=		T=	
0.366KG/M		0.393KG/M		0.513KG/M	
TX-123		TX-233		TX-121	
T=		T=		T=	
0.19KG/M		0.303KG/M		0.388KG/M	
TX-227		TX-209A		TX-121A	
T=		T=		T=	
0.296KG/M		0.306KG/M		0.566KG/M	
TX-228		TX-231		TX-230	
T=		T=		T=	
0.292KG/M		0.704KG/M		0.274KG/M	

TX-116B		TX-215		TX-3030-8	
T=		T=		T=	
0.298KG/M		1.534KG/M		0.89KG/M	
TX-116A		TX-4545		TX-4040-8	
T=		T=		T=	
0.247G/M		1.746KG/M		1.34KG/M	
TX-100		TX-3030L-8		TX-4040-8	
T=		T=		T=	
0.262KG/M		0.715KG/M		1.769KG/M	
		TX-6060-8		TX-4040L-8	
T=		T=		T=	
0.298KG/M		2.525KG/M		1.3KG/M	
TX-1640		TX-4080Y16		TX-2080	
T=		T=		T=	
		2.187G/M		1.52KG/M	

TX-2040		TX-4080		TX-44040-AT22	
-		-		-	
T=		T=		T=	
		2.182KG/M		1.834KG/M	
TX-40 × 15		TX-4080B		TX-4040H	
-		-		-	
T=		T=		T=	
0.96KG/M		1.16G/M		0.896KG/M	
TX-0706		TX-0403		TX-0605	
90 × 30		90 × 45		90 × 45	
壁厚 2.0mm		壁厚 2.5mm		壁厚 3.0mm	
2.29KG/M		3.568KG/M		4.108KG/M	
TX-0819		TX-0828		TX-0914	
94.7 × 40		100 × 40		100 × 100	
壁厚 3.0mm		壁厚 2.0mm		壁厚 5.8mm	
2.922KG/M		3.236KG/M		10.269KG/M	
TX-0705		TX-0265		TX-0487	
100 × 50		100 × 50		100 × 50	
壁厚 3.0mm		壁厚 3.5mm		壁厚 3.5mm	
3.994KG/M		4.181KG/M		4.989KG/M	

TX-0268	120 × 40	壁厚 2.0mm	4.066KG/M	
TX-0267	150 × 30	壁厚 2.2mm	3.669KG/M	
TX-160	T=2.0mm	5.3KG/M		
TX-240	T=2.8mm	8.554KG/M		
TX-200-1	T=2.8mm	6.93KG/M		
TX-200-2	T=3.5mm	10.73KG/M		
TX-160-1	T=4.0mm	11.78KG/M		
TX-160-2	T=3.0mm	9.46KG/M		